

**From:** [R6HarveyENVL](#)  
**To:** [R6HarveyInfo](#)  
**Subject:** FW: Arkema Surface Water QAPP for review  
**Date:** Thursday, September 14, 2017 2:50:27 PM  
**Attachments:** [R6\\_Hurricane Harvey\\_Site-Specific UFP-QAPP\\_Arkema Surface Water Sampling\\_Rev0\\_9-14-2017.docx](#)

---

---

**From:** Charters, David  
**Sent:** Thursday, September 14, 2017 2:50:20 PM (UTC-06:00) Central Time (US & Canada)  
**To:** Blaze, Stephen; R6HarveyENVL; Rauscher, Jon; Turner, Philip; Foster, Althea  
**Cc:** Charters, David  
**Subject:** FW: Arkema Surface Water QAPP for review

Please review the chemistry tables Thanks,

david

---

**From:** Brown, Michelle [mailto:Michelle.Brown@WestonSolutions.com]  
**Sent:** Thursday, September 14, 2017 1:06 PM  
**To:** Rauscher, Jon <Rauscher.Jon@epa.gov>; Turner, Philip <Turner.Philip@epa.gov>; Charters, David <Charters.DavidW@epa.gov>  
**Cc:** R6HarveyInfo <R6HarveyInfo@epa.gov>; R6HarveyInfo <R6HarveyInfo@epa.gov>  
**Subject:** Arkema Surface Water QAPP for review

Attached is the Arkema Surface Water QAPP for your review. Please let me know if you have any questions or need anything additional. Thanks - Michelle

Please note our new office address below.



**Michelle Brown, CHMM**

**Weston Solutions, Inc.**

2600 Dallas Parkway, Suite 280

Frisco, Texas 75034

Direct: 469-666-5527

Cell: 972-977-2644

[Michelle.Brown@westonsolutions.com](mailto:Michelle.Brown@westonsolutions.com)

**CONFIDENTIALITY:** This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.